

QGIS Application - Bug report #7243

Default CRS for Georeferencing

2013-02-27 07:29 AM - Andre Joost

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	C++ plugins/Georeferencer	
Affected QGIS version:	master	Regression?: No
Operating System:	Windows	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: end of life
Crashes QGIS or corrupts data:	No	Copied to github as #: 16270
Description		
<p>If a user wants to georeference a raster file by clicking points on the image and on the canvas, it is necessary to set the CRS of the georeference output to the project CRS.</p> <p>Unfortunately, the Georeferencer presets the output CRS to the one used last. I suggest to default to the CRS of the current project, and issue a warning when the user changes the output CRS before starting the georeferencing process.</p> <p>Georeferencing to another CRS only makes sense if the GCP coordinates are read from the raster map itself, e.g. from a grid.</p>		

History

#1 - 2014-06-28 07:43 AM - Jürgen Fischer

- Target version changed from Version 2.0.0 to Future Release - Lower Priority

#2 - 2014-06-29 06:36 AM - Jürgen Fischer

- Category changed from C++ Plugins to C++ plugins/Georeferencer

#3 - 2017-05-01 01:09 AM - Giovanni Manghi

- Easy fix? set to No

- Regression? set to No

#4 - 2019-03-09 04:04 PM - Giovanni Manghi

- Resolution set to end of life

- Status changed from Open to Closed

End of life notice: QGIS 2.18 LTR

Source:

<http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/>