

QGIS Application - Bug report #7502

Display/layer name not saved in qml

2013-04-04 04:58 AM - andskog -

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Project Loading/Saving	
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: end of life
Crashes QGIS or corrupts data:	No	Copied to github as #: 16452
Description		
Layer Properties/Display, a custom Layer name is not saved to the QML file. (Same thing on two week old master.)		

History

#1 - 2013-06-04 04:38 PM - Larry Shaffer

Should it be?

If I loaded a .qml style, and it changed the current layer's name, I'd be kinda upset. Seems to me the layer's style should stay abstracted from the layer's base properties, like its custom (legend) name or data source URI.

Or, do you mean the custom name should be saved into the .qml just for reference, i.e. never (or maybe optionally) used when the style file is loaded?

There has recently been some discussion about offering a listing of what a style being loaded offers, with checkboxes that allow the user to choose which parts of the style to apply. I see the custom layer name as something that could then be saved to the .qml, and upon load be offered as a style option to apply, but *unchecked* by default.

#2 - 2014-06-21 05:18 AM - Jürgen Fischer

- Category set to Project Loading/Saving

#3 - 2017-05-01 01:09 AM - Giovanni Manghi

- Easy fix? set to No

- Regression? set to No

#4 - 2019-03-09 04:04 PM - Giovanni Manghi

- Resolution set to end of life

- Status changed from Open to Closed

End of life notice: QGIS 2.18 LTR

Source:

<http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/>