

QGIS Application - Bug report #7836

Inconsistent default estimation parameter between MSSQL and PostGIS

2013-05-15 06:46 PM - Aren Cambre

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Data Provider/MSSQL	
Affected QGIS version:	master	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: end of life
Crashes QGIS or corrupts data:	No	Copied to github as #: 16718
Description		
<p>Use estimated table parameters is enabled by default for MSSQL layers but Use estimated table metadata is disabled for PostGIS layers.</p> <p>I previously asked for PostGIS to have estimation turned on by default in #3453, but it was shot down due to fear of bad estimates. But how likely will estimation produce unreliable results here? I still wonder if unreliable results is a boundary case? In the least, shouldn't we have consistent parameters for both DB types?</p>		

History

#1 - 2013-05-16 01:03 AM - Jürgen Fischer

- Category changed from Data Provider/PostGIS to Data Provider/MSSQL

the oracle and postgis provider don't use estimates by default.

#2 - 2014-01-30 11:41 PM - Paolo Cavallini

- Target version changed from Version 2.0.0 to Future Release - High Priority

#3 - 2017-05-01 01:09 AM - Giovanni Manghi

- Easy fix? set to No

- Regression? set to No

#4 - 2019-03-09 04:04 PM - Giovanni Manghi

- Resolution set to end of life

- Status changed from Open to Closed

End of life notice: QGIS 2.18 LTR

Source:

<http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/>