

QGIS Application - Bug report #7888

Plugin installer indicates incorrect install directory

2013-05-23 03:10 AM - Rudi von Staden

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	GUI	
Affected QGIS version:	master	Regression?: No
Operating System:	Linux	Easy fix?: No
Pull Request or Patch applied:	Yes	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 16761
Description		
<p>Open the plugin installer (Plugins > Fetch Plugins). The status bar at the bottom of the opened window still indicates the old install directory ('The plugins will be installed to ~/.qgis/python/plugins'). It should be updated to the new directory ('The plugins will be installed to ~/.qgis2/python/plugins').</p> <p>The file which needs to be changed is python/plugins/plugin_installer/qgsplugininstallerbase.ui (git diff attached), but not sure if there are related changes that would need to be made for i18n.</p>		

Associated revisions

Revision f82cc120 - 2013-05-23 12:31 PM - Jürgen Fischer

fix #7888

History

#1 - 2013-05-23 03:31 AM - Jürgen Fischer

- Status changed from Open to Closed

Fixed in changeset commit:"f82cc12008a46c1db4253a6a5de392440bc886e8".

Files

plugin_installer.diff	593 Bytes	2013-05-23	Rudi von Staden
-----------------------	-----------	------------	-----------------