QGIS Application - Bug report #8022 Ubuntu DSN connection

2013-06-07 06:46 AM - Laurentiu Mihai

Status: Closed Priority: High

Assignee:

Category: Data Provider/MSSQL

Affected QGIS version: 1.8.0 Regression: No
Operating System: Easy fix: No
Pull Request or Patch shapplied: Resolution: invalid

Pull Request or Patch shapplied: Resolution: invalid
Crashes QGIS or corrupts data: Copied to github as #: 16868

Description

Hello,

I have a problem. Follow Ubuntu + FreeTDS + unixODBC + qgis 1.8.0

Settings FreeTDS

[MSSQL]

host = 192.168.0.1

port = 1433

tds version = 7.0

Settings /etc/odbcinst.ini

[FreeTDS]

Description = FreeTDS driver

Driver = /usr/lib/i386-linux-gnu/odbc/libtdsodbc.so

Setup=/usr/lib/i386-linux-gnu/odbc/libtdsS.so

FileUsage = 1

UsageCount = 1

Settings /etc/odbc.ini

[SQLC]

Description = MS SQL Server

Driver = FreeTDS

Server = 192.168.0.1

UID = USERNAME

PWD = PASSWORD

ReadOnly = No

Port = 1433

Database = TEST

Setting QGIS

Add MSSQL Spatial Layer

Button: New

1. In pop-up complete #

Name: TEST DSN: SQLC

Username: USERNAME Password: PASSWORD

Check Save username

Check Save password

2025-04-27 1/2

TEST "Connection to was successful"

Ok, now download Layer from server. It's ok SAVE Project to my computer, Close QGIS.

If i want to open Project, in qgis i have this error:

Handle bad layers: "service='SQLC' estimatedmetadata=true srid=32635 type=POLYGON table="dbo"."TEST" (SP_GEOMETRY) sql="

Why?

History

#1 - 2013-06-07 06:51 AM - Giovanni Manghi

- Resolution set to invalid
- Status changed from Open to Closed

Questions need to be posted on the users/developers mailing lists or IRC or gis.stackexchange.com the tracker is for bug reports and feature requests.

Cheers!

2025-04-27 2/2