

QGIS Application - Bug report #8644

Models with utf-8 description can't be executed

2013-09-22 08:49 AM - Borys Jurgiel

Status:	Closed	
Priority:	Normal	
Assignee:	Victor Olaya	
Category:	Processing/Core	
Affected QGIS version:	2.0.1	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: fixed/implemented
Crashes QGIS or corrupts data:	No	Copied to github as #: 17376
Description		
<p>Can't run models with utf-8 characters in description:</p> <pre>AlgorithmExecutionDialog.__init__(self, alg, self.scrollArea) File "/home/borys/sources/qgis/build/output/python/plugins/processing/gui/AlgorithmExecutionDialog.py", line 98, in <i>init</i> if self.alg.helpFile(): File "/home/borys/sources/qgis/build/output/python/plugins/processing/modeler/ModelerAlgorithm.py", line 685, in helpFile return h2h.getHtmlFile(self, helpfile) File "/home/borys/sources/qgis/build/output/python/plugins/processing/gui/Help2Html.py", line 54, in getHtmlFile tempHtml.write(s) UnicodeEncodeError: 'ascii' codec can't encode character u'\u015b' in position 110: ordinal not in range(128)</pre>		

History

#1 - 2014-01-11 09:54 AM - Salvatore Larosa

- Resolution set to fixed/implemented
- Status changed from Open to Closed

Fixed in commit:e4c60ad

#2 - 2015-06-07 04:30 AM - Giovanni Manghi

- Category changed from 94 to Processing/Core