

# QGIS Application - Bug report #9064

## Crash when getting info from a styled layer

2013-11-15 12:53 AM - Paolo Cavallini

<b>Status:</b> Closed	
<b>Priority:</b> High	
<b>Assignee:</b>	
<b>Category:</b> Symbology	
<b>Affected QGIS version:</b> 2.0.1	<b>Regression?:</b> No
<b>Operating System:</b>	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b>
<b>Crashes QGIS or corrupts data:</b>	<b>Copied to github as #:</b> 17711
<b>Description</b>	
Clicking with the Info tool on the layer attached, with its own style (a form has been defined there) causes a systematic crash, both on Win Dufour and on master Debian sid.	

### Associated revisions

Revision eaf90e6a - 2013-11-15 10:18 AM - Matthias Kuhn

Fix crash when showing form with definition for deleted widget  
(Fix #9064)

### History

#1 - 2013-11-15 12:55 AM - Paolo Cavallini

```
[Thread debugging using libthread_db enabled]
Using host libthread_db library "/lib/x86_64-linux-gnu/libthread_db.so.1".
0x00007fea2d485867 in __libc_waitpid (pid=<optimized out>, stat_loc=<optimized out>, options=<optimized out>) at
../sysdeps/unix/sysv/linux/waitpid.c:40
40 ../sysdeps/unix/sysv/linux/waitpid.c: File o directory non esistente.
[Current thread is 1 (Thread 0x7fea34b65780 (LWP 9905))]
#0 0x00007fea2d485867 in __libc_waitpid (pid=<optimized out>, stat_loc=<optimized out>, options=<optimized out>) at
../sysdeps/unix/sysv/linux/waitpid.c:40
    resultvar = <optimized out>
    oldtype = 0
    result = <optimized out>
#1 0x00000000004f3227 in qgisCrash(int) ()
No symbol table info available.
#2 <signal handler called>
No locals.
#3 0x00007fea3042c1e0 in ?? () from /usr/lib/x86_64-linux-gnu/libQtCore.so.4
No symbol table info available.
#4 0x00007fea3042f7a9 in QString::operator<(QString const&) const () from /usr/lib/x86_64-linux-gnu/libQtCore.so.4
No symbol table info available.
#5 0x00007fea3181d469 in QgsVectorLayer::dateFormat(int) () from /usr/lib/libqgis_core.so.2.1.0
No symbol table info available.
#6 0x00007fea31110cf1 in QgsAttributeEditor::createAttributeEditor(QWidget*, QWidget*, QgsVectorLayer*, int, QVariant const&,
QgsAttributeEditorContext&) () from /usr/lib/libqgis_gui.so.2.1.0
No symbol table info available.
#7 0x00007fea311145cf in QgsAttributeEditor::createWidgetFromDef(QgsAttributeEditorElement const*, QWidget*, QgsVectorLayer*,
```

QgsFeature const&, QgsAttributeEditorContext&, QString&, bool&) () from /usr/lib/libqgis\_gui.so.2.1.0  
No symbol table info available.

#8 0x00007fea31114260 in QgsAttributeEditor::createWidgetFromDef(QgsAttributeEditorElement const\*, QWidget\*, QgsVectorLayer\*, QgsFeature const&, QgsAttributeEditorContext&, QString&, bool&) () from /usr/lib/libqgis\_gui.so.2.1.0  
No symbol table info available.

#9 0x00007fea31114260 in QgsAttributeEditor::createWidgetFromDef(QgsAttributeEditorElement const\*, QWidget\*, QgsVectorLayer\*, QgsFeature const&, QgsAttributeEditorContext&, QString&, bool&) () from /usr/lib/libqgis\_gui.so.2.1.0  
No symbol table info available.

#10 0x00007fea3110a7a6 in QgsAttributeDialog::init() () from /usr/lib/libqgis\_gui.so.2.1.0  
No symbol table info available.

#11 0x00007fea3110cd0d in QgsAttributeDialog::QgsAttributeDialog(QgsVectorLayer\*, QgsFeature\*, bool, QWidget\*, bool, QgsAttributeEditorContext) () from /usr/lib/libqgis\_gui.so.2.1.0  
No symbol table info available.

#12 0x00000000005d52fc in QgsFeatureAction::newDialog(bool) ()  
No symbol table info available.

#13 0x00000000005d577c in QgsFeatureAction::viewFeatureForm(QgsHighlight\*) ()  
No symbol table info available.

#14 0x00000000005cd322 in QgsIdentifyResultsDialog::featureForm() ()  
No symbol table info available.

#15 0x00000000005d2d63 in QgsIdentifyResultsDialog::show() ()  
No symbol table info available.

#16 0x000000000062b72d in QgsMapToolIdentifyAction::canvasReleaseEvent(QMouseEvent\*) ()  
No symbol table info available.

#17 0x00007fea31115e59b in QgsMapCanvas::mouseReleaseEvent(QMouseEvent\*) () from /usr/lib/libqgis\_gui.so.2.1.0  
No symbol table info available.

#18 0x00007fea2f8ddd8e in QWidget::event(QEvent\*) () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#19 0x00007fea2fc7be7e in QFrame::event(QEvent\*) () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#20 0x00007fea2fe876f9 in QGraphicsView::viewportEvent(QEvent\*) () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#21 0x00007fea304ee4a6 in QApplicationPrivate::sendThroughObjectEventFilters(QObject\*, QEvent\*) () from /usr/lib/x86\_64-linux-gnu/libQtCore.so.4  
No symbol table info available.

#22 0x00007fea2f88e73c in QApplicationPrivate::notify\_helper(QObject\*, QEvent\*) () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#23 0x00007fea2f894f0d in QApplication::notify(QObject\*, QEvent\*) () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#24 0x00007fea316c975b in QgsApplication::notify(QObject\*, QEvent\*) () from /usr/lib/libqgis\_core.so.2.1.0  
No symbol table info available.

#25 0x00007fea304ee33d in QApplication::notifyInternal(QObject\*, QEvent\*) () from /usr/lib/x86\_64-linux-gnu/libQtCore.so.4  
No symbol table info available.

#26 0x00007fea2f8946c3 in QApplicationPrivate::sendMouseEvent(QWidget\*, QMouseEvent\*, QWidget\*, QWidget\*, QWidget\*\*, QPointer<QWidget>&, bool) () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#27 0x00007fea2f90641b in ?? () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#28 0x00007fea2f904e8c in QApplication::x11ProcessEvent(\_XEvent\*) () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#29 0x00007fea2f92c7e2 in ?? () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#30 0x00007fea2bd00ea6 in g\_main\_context\_dispatch () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
No symbol table info available.

#31 0x00007fea2bd011f8 in ?? () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
No symbol table info available.

#32 0x00007fea2bd0129c in g\_main\_context\_iteration () from /lib/x86\_64-linux-gnu/libglib-2.0.so.0  
No symbol table info available.

#33 0x00007fea3051b4b5 in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib/x86\_64-linux-gnu/libQtCore.so.4  
No symbol table info available.

#34 0x00007fea2f92c896 in ?? () from /usr/lib/x86\_64-linux-gnu/libQtGui.so.4  
No symbol table info available.

#35 0x00007fea304ecf9f in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib/x86\_64-linux-gnu/libQtCore.so.4  
No symbol table info available.

#36 0x00007fea304ed295 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib/x86\_64-linux-gnu/libQtCore.so.4  
No symbol table info available.

#37 0x00007fea304f28db in QCoreApplication::exec() () from /usr/lib/x86\_64-linux-gnu/libQtCore.so.4  
No symbol table info available.

#38 0x00000000004ee0c4 in main ()  
No symbol table info available.

## #2 - 2013-11-15 01:04 AM - Paolo Cavallini

- Priority changed from Severe/Regression to High

Most probably the crash is due to the fact that the form is referring to a field that has been deleted from the shapefile.  
Lowering the priority accordingly.

## #3 - 2013-11-15 01:19 AM - Matthias Kuhn

- Status changed from Open to Closed

Fixed in changeset commit:"eaf90e6a40ff49913f2920c9bfd4106e0893883b".

## Files

---

test.zip	4.84 KB	2013-11-14	Paolo Cavallini
----------	---------	------------	-----------------