

QGIS Application - Bug report #9415

Problem with current Debian build

2014-01-23 05:32 AM - Andy Wood

Status:	Closed	
Priority:	Severe/Regression	
Assignee:		
Category:	Build/Install	
Affected QGIS version:	master	Regression?: No
Operating System:	Linux	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 18010
Description		
<p>In debian rules file, section: install: build</p> <pre>perl -i -pe 's=#!/usr/bin/env python=#!/usr/bin/python2.7=;' \$(find debian/tmp -name "*.py")</pre> <p>causes:</p> <pre>perl -i -pe 's=#!/usr/bin/env python=#!/usr/bin/python2.7=;'</pre> <p>-i used with no filenames on the command line, reading from STDIN.</p> <p>I do not understand makefiles enough to provide a fix, but perhaps it should be something like (?):</p> <pre>perl -i -pe 's=#!/usr/bin/env python=#!/usr/bin/python2.7=;' \$(find \$(CURDIR)/debian/tmp -name "*.py")</pre> <p>Andy.</p>		

History

#1 - 2014-01-27 03:37 AM - Andy Wood

- Status changed from Open to Closed

Fixed in latest master version.