

QGIS Application - Bug report #9640

Repairing spatialite data sources defaults to browsing for shapefiles instead.

2014-02-24 05:36 PM - Donovan Cameron

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Project Loading/Saving	
Affected QGIS version:	2.2.0	Regression?: No
Operating System:	Not specified	Easy fix?: No
Pull Request or Patch supplied:	No	Resolution: end of life
Crashes QGIS or corrupts data:	No	Copied to github as #: 18212
Description		
<p>When I open a project with broken data sources from spatialite databases, the default type in the file browser is Shapefile instead of Spatialite.</p> <p>That means spatialite databases won't be visible in the window until the user switches the type to either Spatialite or All.</p> <p>Is it possible for the default type in the file browser be set to whatever type of data you're repairing?</p>		

History

#1 - 2014-02-27 11:05 AM - Giovanni Manghi

- Operating System deleted (Windows)
- OS version deleted (8.1)
- Target version set to Future Release - Lower Priority

#2 - 2017-05-01 01:08 AM - Giovanni Manghi

- Regression? set to No
- Easy fix? set to No

#3 - 2019-03-09 03:11 PM - Giovanni Manghi

- Resolution set to end of life
- Status changed from Open to Closed

End of life notice: QGIS 2.18 LTR

Source:

<http://blog.qgis.org/2019/03/09/end-of-life-notice-qgis-2-18-ltr/>