

## QGIS Application - Bug report #9667

### Using PostGIS over a slow connection unfeasible: unnecessary loading of data?

2014-02-26 08:31 AM - Paolo Cavallini

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Data Provider/PostGIS	
<b>Affected QGIS version:</b> 2.2.0	<b>Regression?:</b> No
<b>Operating System:</b>	<b>Easy fix?:</b> No
<b>Pull Request or Patch supplied:</b>	<b>Resolution:</b> fixed/implemented
<b>Crashes QGIS or corrupts data:</b>	<b>Copied to github as #:</b> 18234
<b>Description</b>	
Some of the slowness using pg over a very slow connection could possibly be avoided; e.g. deactivating a layer does not need to load any data from the server, but is very slow anyway.	

#### History

**#1 - 2014-02-26 08:49 AM - Jürgen Fischer**

- Assignee deleted (*Jürgen Fischer*)

**#2 - 2017-05-01 01:08 AM - Giovanni Manghi**

- Easy fix? set to No

- Regression? set to No

**#3 - 2018-02-24 02:21 PM - Paolo Cavallini**

- Status changed from Open to Feedback

Current option seem to give reasonable performances. I leave it open for those with slow connections to give feedback.

**#4 - 2018-02-24 05:25 PM - Giovanni Manghi**

- Resolution set to fixed/implemented

- Status changed from Feedback to Closed