

QGIS Application - Bug report #9796

cpt city ramps missing when using --configpath startup option

2014-03-17 03:26 AM - Regis Haubourg

Status:	Closed	
Priority:	High	
Assignee:		
Category:	Symbology	
Affected QGIS version:	2.2.0	Regression?: No
Operating System:		Easy fix?: No
Pull Request or Patch supplied:	No	Resolution:
Crashes QGIS or corrupts data:	No	Copied to github as #: 18336
Description		
Hi, when using -- configpath option to move profiles to a centralized network storage, cpt city ramps do not show in cpt city browser. Confirmed on windows 7 and server 2008, with QGIS 2.2 64 + QGIS master		

History

#1 - 2014-03-17 09:54 AM - Etienne Tournigny

- Assignee set to elcuco -

can you test this on linux?

#2 - 2014-03-17 11:25 AM - Etienne Tournigny

- Assignee deleted (elcuco -)

#3 - 2014-03-17 01:09 PM - Regis Haubourg

Not at the moment, I must mount a virtual machine.. I tested on MacOS, QGIS 2.0 works fine, but I couldn't upgrade to 2.2.. my Mac is too old :-(((
Anyone can test ?

#4 - 2014-03-17 02:08 PM - Etienne Tournigny

for me it works under linux when starting qgis like this

```
qgis --configpath /tmp/qgis
```

note that the given directory is empty, never tried this before

#5 - 2014-03-18 06:22 AM - Regis Haubourg

Is the target directory still empty after you close Qgis. You should find in it all QGis db's and ini files at least. If not startup option did not work..

#6 - 2014-03-18 09:53 AM - Etienne Tournigny

The cpt-city ramps were not copied, but I can see them even if I start qgis with same arguments.

I don't know if they should be copied over, or if there is a bug with finding the path of system-wide installation of cpt-city ramps in Windows.

Here are the contents

```
tourigny@supernova: /data/research/work/inland/hg/inland-current/output $ ls -lR /tmp/qgis/  
/tmp/qgis/:  
total 124  
drwx----- 4 tourigny tourigny 4096 Mar 18 13:49 cache  
drwx----- 2 tourigny tourigny 4096 Mar 18 13:49 gdal_pam  
drwx----- 5 tourigny tourigny 4096 Mar 18 13:50 processing  
drwx----- 2 tourigny tourigny 4096 Mar 18 13:49 QGIS  
-rw-r--r-- 1 tourigny tourigny 23552 Mar 18 13:49 qgis.db  
-rw-r--r-- 1 tourigny tourigny 84992 Mar 18 13:50 symbology-ng-style.db
```

#7 - 2014-03-19 01:07 AM - Regis Haubourg

Well, they don't have to be copied in the roaming profile, this looks like a problem reading path ..

#8 - 2014-06-23 02:29 AM - Regis Haubourg

Issue is still here and seems related to using UNC path, or dot in file name for profile displacement.

Using --configpath "F:\\Outils\\QGISDEV\\CONF_QGIS_MASTER" works when

--configpath "\\\\NAS01\\appdata2008\\%username%\\AppData\\Roaming\\.qgis2" does not show cpt city color ramps in ctp city browser

#9 - 2014-06-23 02:53 AM - Regis Haubourg

mmm, when moving to a new empty profile, using UNC path like --configpath "\\\\NAS01\\appdata2008\\%username%\\AppData\\Roaming\\.qgis24" it now works...

#10 - 2014-06-28 07:45 AM - Jürgen Fischer

- Target version changed from Version 2.4 to Future Release - High Priority

#11 - 2014-10-26 08:52 AM - Jürgen Fischer

- Status changed from Open to Closed

Looks like it was a problem with the remote config.